

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	169	extract\$3 near2 rout\$4 near2 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:10
S2	196	extract\$3 near rout\$3 and compar\$3 near3 rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:11
S3	12	extract\$3 near rout\$3 near path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:11
S4	40	extract\$3 near rout\$3 same compar\$3 near3 rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:12
S5	22	extract\$3 near rout\$3 near2 path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:12
S6	183	extract\$3 with rout\$3 near2 path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:12
S7	26	extract\$3 with rout\$3 near3 path with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:14
S8	140	updat\$3 with rout\$3 near3 path with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:14

EAST Search History

S9	838	extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:15
S10	20	370/392.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:17
S11	3	370/235.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:18
S12	3	370/237.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:26
S13	0	extract\$3 with rout\$3 near strategy near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:20
S14	1218	extract\$3 with rout\$3 near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:20
S15	0	extract\$3 with rout\$3 near2 strategy near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:21
S17	7	370/238.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:26

EAST Search History

S18	4	370/248.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:26
S19	13	370/254.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:27
S20	1	370/255.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:27
S21	0	370/278.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:27
S22	10	370/338.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:27
S23	12	370/351.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:27
S24	20	370/389.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:27
S25	5	370/400.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:31

EAST Search History

S26	36	370/401.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:37
S27	0	370/437.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:28
S28	3	370/471.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:28
S29	18	709/238.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:29
S30	3	709/239.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:30
S31	0	709/240.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:29
S32	1	709/241.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:29
S33	5	709/242.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:29

EAST Search History

S34	2	709/243.ccls. and extract\$3 near rout\$3 near3 (data or information or strategy or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 20:29
S35	162	adaptive near2 rout\$3 with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 21:13
S36	1	adaptive near2 rout\$3 and dynamic near discovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:40
S38	79	extract\$3 near3 address with packet and updat\$3 near2 address with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:46
S39	100	extract\$3 near3 address with packet and updat\$3 near3 address with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:56
S40	21	370/474.ccls. and adapt\$3 near2 rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:59
S43	22	709/242.ccls. and updat\$3 near2 packet same table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:09
S44	57	709/242.ccls. and updat\$3 with packet same table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:21

EAST Search History

S45	468	packet with rout\$3 near2 path and node with rout\$3 near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:22
S46	0	709/242.ccls. and]packet with rout\$3 near2 path and node with rout\$3 near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:22
S47	11	709/242.ccls. and packet with rout\$3 near2 path and node with rout\$3 near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:29
S48	0	packet with node near history and packet with rout\$3 near2 path and node with rout\$3 near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:27
S49	0	packet with node near2 history and packet with rout\$3 near2 path and node with rout\$3 near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:27
S50	7	packet with node near2 history and node with rout\$3 near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:27
S51	1	709/242.ccls. and node near2 history and node with rout\$3 near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:28
S52	8	709/241.ccls. and packet with rout\$3 near2 path and node with rout\$3 near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:35

EAST Search History

S53	0	709/241.ccls. and packet with rout\$3 near2 path and node with rout\$3 near2 table and hop near history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:36
S54	0	packet with rout\$3 near2 path and node with rout\$3 near2 table and hop near history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:36
S55	0	packet with rout\$3 near2 path and node with rout\$3 near2 table and hop near2 history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:36
S56	0	node with rout\$3 near2 table and hop near2 history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:37
S58	2	709/238.ccls. and updat\$3 with node near2 history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:38
S60	172	709/238.ccls. and packet with rout\$3 near2 path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:39
S61	152	adaptive near2 rout\$.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:40
S63	16	709/238.ccls. and adapt\$3 near2 rout\$.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:42

EAST Search History

S64	1	709/238.ccls. and adaptive near2 rout\$.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:42
S65	152	adaptive near2 rout\$.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:10
S67	3	370/241.ccls. and adaptive near2 rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:11
S70	4	best near rout\$3 near strategy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 18:16
S71	60	compar\$3 near2 rout\$3 and adaptive near2 rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 18:23
S73	45	709/243.ccls. and (updat\$3 or modif\$4) with (packet or frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 18:33
S74	155	709/242.ccls. and (updat\$3 or modif\$4) with (packet or frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 18:54
S76	1299	(updat\$3 or modif\$4) with route with (packet or frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 18:54

EAST Search History

S77	52	(updat\$3 or modif\$4) with route with (packet or frame) near2 header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 20:37
S78	1	709/242.ccls. and credit with route	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 20:37
S79	0	709/241.ccls. and credit with route	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 20:37
S80	9	709/241.ccls. and credit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 20:38
S81	8	assign\$3 with credit with route	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 20:45
S82	855	credit with route	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 20:45
S84	48	assign\$3 with credit with rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 20:46
S85	159	709/238.ccls. and credit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 17:06

EAST Search History

S86	15	709/238.ccls. and credit with rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 17:08
S87	3	709/239.ccls. and credit with rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 17:08
S88	3	709/240.ccls. and credit with rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 17:08
S89	1	709/241.ccls. and credit with rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 17:09
S90	3	709/242.ccls. and credit with rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 17:10
S91	1	709/243.ccls. and credit with rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 17:10
S92	1	709/244.ccls. and credit with rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 17:10